

Flyer 9 SUNdeck

General Equipment list - Europe











GENERAL SPECIFICATIONS

• L.O.A*:	9,10m	*29'10"*
• Hull length:	7,97m	*26'2"*
• Overall width:	2,99m	*9'10"*
• Beam:	2,97m	*9'9"*
• Draught (min/max):	0,50 - 0,90m	*1'5" - 2'11"*
• Air draft:		
- without T-Top:	2,12m	*6'11"*
- with T-Top:	2,68m	*8'10"*
• Light displacement (EC):	3 350kg	*7,383 lbs*
• Unladen displacement :	2 500kg	*5,510 lbs*
• Fuel tanks:		
- standard:	2 x 200L	*2 x 53 US Gal*
- Option:	2 x 288L	*2 x 76 US Gal*
• Water tank:	100L	*26 US Gal*
• Max engine certification:	500 HP	*500 HP*
• Driving shaft length:		
- Single engine	XXL / 762mm	*30"*
- Twin engine	XL / 635mm	*25"*

** (Option: Swim platform & Bowsprit, without engine)*

ARCHITECTS / DESIGNERS

- Development: Bénéteau POWERBOATS
- Designers: Style & Design

EC CERTIFICATION

- Category B - 6 people
- Category C - 10 people

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ

Flyer 9 SUNdeck

General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology: Air Step ®
- Patent: Beneteau

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White hull
- Winching ring on bow

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)

DECK EQUIPMENT

MOORING LINES - MOORING

- Stainless steel bow fitting with roller
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminum, 250 mm / *10''*

SAFETY ON DECK

See VERSIONS - Stainless steel pulpits version

- Stainless steel open pulpit
- 2 Catwalks
- Main wide port catwalk for greater safety when gaining access to forward sun deck

COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,85m / *2'9''*)
- L-shaped cockpit seat with fixed back and stainless steel hand rail: 1,90 x 1,40m / *6'3'' x 4'7''*
- Removable wooden cockpit table
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Stowage under the central cockpit seat (BIB location)
- Stowage under the starboard cockpit seat
- Roto-moulded fuel tanks (2 x 200 L / *2 x 53 US Gal*) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler on aft freeboards (Port and starboard)
- Portside access to sea
- Security door
- Telescopic swimming ladder
- Cockpit shower
- All-round light on samson post
- Navigation lights (Port and starboard)
- Forward sun deck with extension: 2,05 x 1,50m / *6'9" x 4'11"*
  - Location for integrated canopy (Elegance version)
  - 2 Cup holders
- Tilting side platform with mechanical mechanism (Length: 1,60m / *5'3"* x Height: 0,85m / *2'9"*)
  - 3 Cup holders
  - 2 Rod holders
  - 2 Handrails

STEERING STATION

- Handrail around the windscreen
- Center consol
- Dashboard with location for electronics , max. 12'' screen, rpm and trim
- Fuel gauge
- USB socket
- Steering wheel
- Location for top gas throttle
- Fitted footrests
- Hydraulic steering
- Leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- Copilot hand rail
- Cabin access through sliding door in translucent grey PMMA

COCKPIT GALLEY

- Sink
- 2 Cup holders
- Space for cooker (optional extra)
- Glass hatch cover

INTERIOR

- Woodwork Alpi Walnut
- Brown oak laminated floors
- Interior cushions in Cushy Limestone upholstery

FORWARD CABIN

Headroom = 0,91 - 1,90m / *3' - 6'3"*

- Saloon convertible into double berth (1,95 x 1,60m / *6'5" x 5'3"*)
- Cushy Limestone Mattress
- Storage under front seat
- Storage cubbyhole (Port and starboard)
- Lighting from 4 ceiling lights
- Indirect LED courtesy lighting
- Side glazing with 2 built-in opening portholes
- Interior curtains
- Opening deck hatch (only Elegance version)

GALLEY

Headroom = 1,90m / *6'3"*

- Galley unit with space for sink (in trim level)
- Storage
- Access to battery switch/fuse box
- 65 L fridge below companionway (in trim level)
- Space for microwave oven - 220V (optional extra)
- Lighting from 1 ceiling light

HEAD

Headroom = 1,82m / *6'*

- Closed toilet with marine head
- Washbasin
- Shower (in trim level)
- Stowage below washbasin
- High storage cupboards
- Mirror
- Ventilation from 1 opening hull porthole
- Lighting from 1 ceiling light

MID-CABIN

Headroom = 0,68m / *2'3"*

- Berth (1,90 x 1,40m / *6'3" x 4'7"*)
- Shelving unit
- Storage cubbyhole
- Technical access
- 2 Opening hull portholes (Port and starboard)
- Lighting from 1 ceiling light

Flyer 9 SUNdeck

General Equipment list - Europe

ELECTRICITY

- 12 V electrical panel
- Pre-fitting for services and engine battery (batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- Pressured cold water
- Hot water system on shore supply (Comfort Trim level)
- Water filling drain plug

VERSIONS

OPEN VERSION

- PMMA "low" windscreen, light grey tinted
- without T-Top (T-Top available as an option)

T-TOP VERSION with full windshield

- Full glass windscreen
- Electric windscreen wipers
- Ventilation

STANDARD UPHOLSTERY VERSION

- PVC Marlin Auster upholstery
  - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / *5'3'' x 2'11''*)
  - Bolster pilot and co-pilot bench seat
  - Forward sundeck with reclining backrest

ELEGANCE UPHOLSTERY VERSION

- PVC Silvertex Plata + Cognac upholstery
  - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / *5'3'' x 2'11''*)
  - Bolster pilot and co-pilot bench seat
  - Forward sundeck with reclining backrest
- Opening deck hatch

PILOT EDITION VERSION Low windscreen

- Signal Grey hull (RAL 7004)
- Pilot Edition hull decoration
- Black lacquered stainless steel pulpits
- Sports steering wheel
- Black T-Top (white polyester roof and black frame) with decorations + Cockpit sun awning extension
- PMMA "low" windscreen, light grey tinted
- Blue underwater lights
- Linetex Glacier + Chalk unpholstery
  - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / *5'3'' x 2'11''*)
  - Bolster pilot and co-pilot bench seat
  - Forward sundeck with reclining backrest
  - Reclining bench seat behind the leaning post
- Opening deck hatch
- LED courtesy light in cockpit
- Wooden cockpit table with telescopic pedestal, can be converted into sun deck (with sun deck cushoins)

PILOT EDITION VERSION Full windshield

- Signal Grey hull (RAL 7004)
- Pilot Edition hull decoration
- Black lacquered stainless steel pulpits
- Sports steering wheel
- Black T-Top (white polyester roof and black frame) with decorations + Cockpit sun awning extension
- Full glass windscreen
- Blue underwater lights
- Linetex Glacier + Chalk unpholstery
  - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / *5'3'' x 2'11''*)
  - Bolster pilot and co-pilot bench seat
  - Forward sundeck with reclining backrest
  - Reclining bench seat behind the leaning post
- Opening deck hatch
- LED courtesy light in cockpit
- Wooden cockpit table with telescopic pedestal, can be converted into sun deck (with sun deck cushoins)

STAINLESS STEEL PULPITS VERSION

- Stainless steel pulpits
- Stainless steel handrails
- Stainless steel handrail around windscreen

BLACK PULPITS VERSION

- Black lacquered stainless steel pulpits
- Black lacquered stainless steel handrails
- Black lacquered stainless steel handrail around windscreen

Flyer 9 SUNdeck

General Equipment list - Europe

ENGINE

- Suzuki 2 x 200 HP APX white
- Suzuki 2 x 250 HP APX white
- Mercury 2 x 200 HP V6 white
- Mercury 2 x 250 HP V8 white
- Mercury 2 x 250 HP V8 white + JPO

TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL		CONFORT	
	Twin engine	Single engine	Twin engine	Single engine
• Electric windlass	■	■	■	■
• Extended swim platform	■	■	■	■
• 65L refrigerator in the cabin	■	■	■	■
• Additional battery pre-wiring for refrigerator		■		■
• Interior galley sink with mixer tap			■	■
• 25 L water heater			■	■
• 230 V electric circuit with shore socket + Battery charger			■	■
• External gas cooker			■	■
• Internal shower fittings (partition, door, taps, seat on WC)			■	■

ELECTRONICS PACKS

ELECTRONIC PACK

- 9'' GARMIN ECHOMAP UHD2 92 SV Multifunction screen (chart not included)
- GARMIN GT23 M-TH Sensor

ELECTRONIC - UPGRADED PACK

- 12'' GARMIN GPSMAP 1223 xsv Multifunction screen (chart not included)
- GARMIN GT23 M-TH Sensor

SOUND PACK

- Fusion MS-RA210
- 2 Interior speakers (50 W)
- 2 Exterior speakers (50 W)

SOUND PREMIUM PACK

- Fusion MS-RA210
- Amp (1 600 W)
- Interior:
  - 2 Sport Fusion Apollo LED 6.5" speakers (white)
- Exterior:
  - 4 Sport Fusion Apollo LED 6.5" speakers (white)
  - Subwoofer (300 W)

Flyer 9 SUNdeck

General Equipment list - Europe

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- Additional fridge in the cockpit
- TV pre-assembly (220V)
- TV Antenna
- 8 000 BTU air conditioning on shore power socket
- 8 000 BTU air conditioning with battery power supply
- Direct fresh water intake from the shore
- Savage Abundance 39 internal carpet
- Fresh water electric toilet

EXTERIOR OPTIONS

- Complete mooring kit
- Stainless steel/Doussie wood bowsprit without swimming ladder
- Stainless steel/doussie wood bowsprit without swimming ladder (Requires black pulpit version)
- Swimming ladder for bowsprit
- Stainless steel ski mast
- Black ski mast
- Canopy on forward sun deck
- Stainless steel bimini (Steering station)
- Aft extension of bimini roof for cockpet, black Sunworker tensioned fabric
- Stainless steel T-Top (white polyester roof and stainless steel frame)+ Cockpit sun awning extension
- Black T-Top (white polyester roof and black frame) + Cockpit sun awning extension
- Pilot protection for T-Top
- Rack for T-Top
- Stainless steel rod holders on T-Top (x4)
- Deck searchlight for T-Top (LED strip)
- Reclining bench seat behind the leaning post
- Console cover + Leaning post + Forward sun deck
- Grey foam carpet in cockpit bottom
- Grey foam carpet on the catwalks
- Wooden cockpit table with removable telescopic pedestal, can be converted into sun deck (with sun deck upholstery)
- Ocean Blue hull (RAL5024)

ELECTRICAL SYSTEM

- LED courtesy light in cockpit
- Underwater lights (x2)
- Horn

ENGINE

- Bow thruster (battery not delivered)
- Proportional bow thruster, for Mercury engine (battery not delivered)
- Fuel tank 2 x 288 L (in lieu of standard 2 x 200L)
- Lenco electric trim tabs
- Zipwake automatic trim system
- Bracket mandatory for single engine

NAVIGATION ELECTRONICS

- GARMIN 215 AIS VHF

07/30/2026 Code Beneteau M12821 (I) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice