

General Equipment list - Europe









GENERAL SPECIFICATIONS_____

• L.O.A*:	13,43m	44'1"
Hull length:	12,52m	41'1"
Overall width:	4,25m	13'11"
Beam:	4,20m	13'9"
Light displacement:	10 520kg	23 186 lbs
Air draft (max):	4,32m	14'2"
 Draught (including propeller): 	1,15m	3'9"
Fuel tank:	1 170L	309 US Gal
Water tank:	400L	106 US Gal
Sewage tank:	120L	32 US Gal
 Grey water tank (Option): 	320L	66 US Gal
Engine power:	2 x 270 HP	2 x 270 HP -
		2 x 201 KW
	2 x 320 HP	2 x 320 HP -
		2 x 238 KW
Fuel tank:Water tank:Sewage tank:Grey water tank (Option):	1 170L 400L 120L 320L 2 x 270 HP	309 US Ga. 106 US Ga. 32 US Ga. 66 US Ga. 2 x 270 HP - 2 x 201 KW. 2 x 320 HP -

^{*} with aft swimming platform + Anchor in position

ARCHITECTS / DESIGNERS _

- Naval Architect: BENETEAU POWER
- · Exterior and interior design: Andreani Design

EC CERTIFICATION _____

- Category B 8 people
- Category C 10 people
 Category D 10 people



CONNECT YOUR BOAT FREE YOUR MIND



General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION _____

HULL

Composition:

- Sandwich (Polyester resin contact Glass fiber Balsa core)
- White gel coat (RAL 9010)
- Structural hull counter moulding in monolithic laminate (Polyester resin contact Glass fiber)

Profile:

· Semi-floating hull

DECK

Composition:

- Sandwich (Polyester resin contact Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin Glass fiber)
- White gel coat (RAL 9010)
- · Diamond tip type non-slip covering

DECK EQUIPMENT

- · Side gate opening to starboard
- · Polyester mast for mounting navigation lights, radar and aerials
- · Fog horn

MOORING LINES - MOORING

- 1 000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Mooring cleats (L 300mm / 12")
- · Stainless steel gunwale guards
- 1 Compartment fitted with self-bailers and polyester covers

SAFETY ON DECK

- · Stainless steel pulpit, open and surrounding cockpit up to steps
- · Leather covered stainless steel handrails in the cockpit

COCKPIT

- Self-bailing cockpit
- 1 Locker in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- · Hot/cold water cockpit shower
- · Double starboard access door to the cockpit
- Swimming platform with rubbing strake (3,80 x 1,15mm / 12'6" x 3'9")
- 1 Sliding bench seat on the platform
- · 1 Ergonomic bathing ladder with hand holds in the bathing platform
- 1 Emergency ladder
- 1 PMMA access door at the starboard side deck from the cockpit



General Equipment list - Europe

INTERIOR

- · Choice of woodwork: Alpi teak (standard) or Alpi oak strip (optional)
- · Rovere Alévé type laminated floorboards
- · Interior upholstery Marlin Brilliant white PVC
- PVC pilot bench Marlin white & Polaris
- · Exterior upholstery Marlin Brilliant white PVC

INTERIOR STEERING STATION

- · Grey helm console
- · Clear glass windscreen with aluminum frames, black lacquered
- · Anti-reflective coating
- 3 Electric windscreen wipers with synchronizing system
- · Windscreen washer
- · Defogger
- · Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Flap indicators
- Controls: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers, Fog horn & Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- · Dual pilot bench seat with hand rails
- · Removable floor step
- · Sliding side door with direct access to catwalk
- · Cup holder

SALOON

Headroom: 1,90m / 6'33"

- · U-shaped saloon convertible to double berth
- · Dividing rail and curtains for berth
- Roman blinds
- Varnished wood saloon table
- Storage cupboards
- 1 Large stowage drawer
- Sliding aft 2 single disappearing door aft bay with black lacquered aluminum frame
- Leather sheathed stainless steel handrail in cockpit deckhead
- Fusion RA210 player with 2 speakers in the wheelhouse and 2 speakers in the cockpit

GALLEY

Headroom: 1,95m / 6'5"

U-shaped galley, facing the cockpit and the saloon - Includes:

- · Corian Nimbus Prima countertop
- 2 Stainless steel sinks with cold/hot water mixer taps under pressure
- Gas oven
- 3-burner gas hob with protective glass cover
- 215 L upright fridge with freezer function
- · Storage & Drawers
- · Bin with access from cockpit and galley
- Handrails

OWNER'S CABIN (FORWARD)

Headroom: 1,95m / 6'5"

- Double berth (1,95 x 1,60m / 6'5" x 5'3")
- Storage under berth
- · Stowage on both sides of berth
- Mirror
- · 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- · 2 Hull windows with opening portholes and blackout blind
- Venetian blinds
- · Padded headboard

HEAD (OWNER'S CABIN)

Headroom: 1,95m / 6'5"

Separate shower compartment with seat and porthole and solid wood finish

- Mirror
- · Top and bottom cupboard
- · Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · 1 Opening deck hatch with integrated blind
- 1 Hull porthole
- · Venetian blinds

VIP CABIN (PORT)

Headroom: 1,96m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,52m / 6'5" x 5'8")
- Cupboards
- · Storage under berth
- · Cubby hole locker
- · Hull window with opening porthole and blackout blind
- 1 220 V socket
- · 2 USB sockets
- · Padded headboard

LAZARETTE / THIRD CABIN (STARBOARD)

Headroom: 2,10m / 6'11"

- Modular stowage
- Storage under berth
- · Space for washer dryer
- 1 220 V socket
- · 2 USB sockets

STARBOARD HEADROOM (DAY TOILET)

Headroom: 1,92m / 6'4"

- Mirror
- · Top and bottom cupboard
- 1 Opening porthole
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · Mixer tap
- Shower
- Towel rail



General Equipment list - Europe

ENGINE

- Yanmar 8LV 320 HP Diesel
- Shaft line propulsion
- · Four-blade propellers
- · Fuel filters
- · Sea water filters
- Engine room soundproofed with high density foam (40 mm / 1-½" thick)
- · Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Dual deck filler for fuel tank with interconnection
- 2 Aluminum fuel tanks (capacity = 2 x 585 L/2 x 155 US Gal) with interconnection and provision for attachment of FPS (Fuel Polishing System) system
- · Steering system:
 - 2 Underhung rudders stainless steel
 - Hydraulic steering
 - Electric trim tabss

ELECTRICITY ____

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 10 220V Sockets:
 - 2 in the saloon
 - 2 in galley
 - 2 in owner cabin
 - 1 in the VIP cabin
 - 1 in the 3rd cabin
 - 1 in the owner head
 - 1 in the 2nd head
- · 12 USB sockets:
- 2 in the saloon2 at the pilot station
- 4 in owner cabin
- 2 in the VIP cabin
- 2 in the 3rd cabin
- 4 Engine batteries (12V 50Ah)
- 2 Service battery (12V 140Ah)
- 2 Battery chargers (25Ah)
- · Outside and inside lighting (Overhead lights, Reading lights)
- · LED indirect lighting
- Outside lighting (Navigation lights, Anchor light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- · 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- · Water tank filler
- 2 Roto moulded water tanks (2 x 200L / 2 x 53 US Gal)
- · Drainage outlet for black water holding tank
- 1 Sewage tank (120L / 32 US Gal)
- 1 Waste water tank (45L / 12 US Gal)

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS _

Smoke detector



General Equipment list - Europe

TRIM LEVEL & PACKS

TRIM LEVEL _____

	ESSENTIAL	CONFORT
Pump for deck washing	•	•
12V Cockpit socket		
Pre-wiring for heating	•	
Air conditioning pre-arrangement	•	
• 1 9" Raymarine interior screen	•	
Raymarine VHF	•	
Cup holders	•	•
Shore fresh water supply		•
Deck searchlight		
Inverter (2 KVA)		

PACKS_

ELECTRONIC PACK

- Ship control
- · Windvane anemometer
- Autopilot

AIR CONDITIONING PACK

- 7.5 kVA Generator (220V / 50Hz)
- Air conditioning (48 kBTU)

OPTIONS

AMBIANCE

- · Oak strip version & Brown oak laminated floors
- · Louvre doors, oak strip or teak
- Ivory varnished, oak strip or teak louvre doors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Skye 53 carpet (Cabins + Passageway)
- · Infinity Zah Factor cream carpet (Cockpit)
- · Greige fabric interior upholstery
- · Crevin Noah 52 fabric interior upholstery
- VERTICE River Rock interior upholstery
- VERTICE Bianco interior upholstery
- VERTICE Cava interior upholstery
- VERTICE Robusta interior upholstery
- Confort Dolce 51 outside upholstery
- Marlin Brilliant white PVC fore sun deck
- Confort Dolce 51 forward sun deck
- Signal Grey hull (RAL 7004)



General Equipment list - Europe

OTHER OPTIONS

INTERIOR ACCOMMODATION

- Rotating pilot seat with handrails + Saloon table extension
- Grill & Microwave combined oven (as replacement for gas oven)
- · Washer dryer
- · Dishwasher for 6 sets
- 3 burner induction hob (replacing gas stove)
- Ice maker
- · Electric roof opening (only Sedan version)
- · Forced air heating
- · Single mattress in the 3rd cabin
- · Mosquito screens on side door, aft bay and portholes
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the saloon
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the forward cabin
- Tableware kit 6 people

EXTERIOR OPTIONS

- · Mooring kit:
 - Delta anchor 20 kg/35 lbs
 - Chain (10mm diameter length 32 m)
 - Line (18mm diameter length 45 m)
 - 4 Mooring ropes (18mm diameter length 15 m)
 - 6 Fenders (250mm diameter length 0,7 m)
- · Stainless steel bow fitting
- · Fore canvas sunshade
- Outside protections: (Oyster or Flanelle)
 - Aft cockpit closing
 - Cockpit wheelhouse cover
- · Black exterior curtains Sunworker
- Manual fold-up polyester gangway
- Folding cockpit table + 2 Folding arm chairs
- Storage rack for paddle, bike with access ladder (Sedan version only)
- 5 Solar panels on the coachroof (Sedan version only)
- Tender launching system on Plastimo davits (Tender: maximum length 2,6 m, maximum weight 150 kg)

ELECTRICAL SYSTEM

- 7,5 kVA Generator
- Underwater light

WATER SYSTEM

- · Watermaker (60 l/h / 16 US Gal/hour)
- · Shore fresh water supply
- · Rigid sewage reserve

ENGINE

- · Bow thruster
- · stern thruster

NAVIGATION ELECTRONICS

- · Raymarine AIS
- Radar
- · Rear camera