



GENERAL SPECIFICATIONS

| | | |
|--|------------|----------------|
| • L.O.A*: | 17,13m | 56'2" |
| • Hull length: | 14,85m | 48'9" |
| • Overall width: | 4,98m | 16'4" |
| • Beam: | 4,95m | 16'3" |
| • Light displacement (Provisional): | 21 518kg | 47 426 lbs |
| • Air draft light load: | | |
| - Standard boat anchor light | 6,54m | 21'5" |
| - Option T-Top anchor light | 6,58m | 21'7" |
| • Draught to base of keel (full load): | 1,142m | 3'9" |
| • Fuel tank: | 2 x 1 720L | 2 x 454 US Gal |
| • Water tank: | 2 x 400L | 2 x 106 US Gal |
| • Black water tank: | 170L | 45 US Gal |
| • Grey water tank (Option): | 320L | 85 US Gal |
| • Engine power: | | |
| - standard | 2 x 550 HP | 2 x 550 HP |

* (with aft swimming platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: Dixon Yachts Design
- Design: Andreani Design

EC CERTIFICATION

- Category B: 14 people
- Category C: 14 people

se@apps

CONNECT YOUR BOAT FREE YOUR MIND



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- White gelcoat 9010
- Structural hull counter moulding in monolithic laminate (Polyester resin infusion - Glass fiber)

Profile:

- Fusion hull form

DECK

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gelcoat 9010
- Diamond tip type non-slip sidedecks & bow

AMBIANCE

- Alpi teak woodwork
- Rovere Alévé type laminated floorboards
- Interior upholstery Marlin Brilliant White PVC
- Pilot seat Anthracite
- Exterior upholstery Marlin Brilliant White PVC

DECK EQUIPMENT

MOORING LINES - MOORING

- Stainless steel bow fitting
- 2 300 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Stainless steel mooring cleats (L 400mm / 11'4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and hatches

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Anthracite vinyl covered stainless steel handrails, in the cockpit

COCKPIT

- Self-draining cockpit
- Lazarette hatch in cockpit bottom gas strut assisted and lockable
- Large Lazarette hatch in cockpit bottom electric assisted and lockable
- Gas cylinder locker integrated into the cockpit bottom
- Hot/cold water cockpit shower
- 2 Port and starboard transom gates
- Irodeck swimming platform with rubbing strake (4,6 x 1,6m / 15'1" x 5'3")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 2 PMMA windjammer door to sidedecks from the cockpit
- Emergency ladder
- L-Shape saloon with extended wood table and 2 folding chairs
- 2 Loud speakers
- Courtesy lighting
- Direct and indirect lighting
- Irodeck to swimming platform, steps, cockpit and aft sidedecks
- Rope bins
- Port and starboard side gate openings

FLYBRIDGE

- Flybridge self-draining
- Grey tinted windscreen in PMMA
- PMMA hatch accessible to the wheelhouse
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 2 places for co-pilot convertible into a sun lounger
- Flybridge U-shape seating with integrated storage and a folding leaf wood table
- Wetbar with sink & hot/cold tap, handrail and storage
- Space for 2 x 8 person life rafts with stainless steel D-rings
- Fusion Unit and 4 speakers
- Direct and indirect lighting



INTERIOR

SALOON

Headroom: 2,07m / 6'9"

- U-shaped saloon seating (2,30 x 1,37m / 7'7" x 4'6")
- Wood slats venetian blinds
- U-shaped sofa to port, PVC Marlin Brilliant White upholstery
- Coffee table
- Starboard sideboard
- Place for 50" TV with pre-wiring
- Fusion Unit and 4 speakers
- 220 V & USB sockets
- Direct and indirect lighting

GALLEY

Headroom: 2,02m / 6'8"

- Full height Fridge (193L / 51 US Gal) and Freezer (78L / 21 US Gal)
- Corian countertop
- Portside side door
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner gas hob with protective glass cover
- Air recirculation cooker hood
- Cupboards, drawers, overhead units
- Cutlery drawer
- Waste bin with external access
- Recycling bin
- Space for the dishwasher option
- 220 V socket
- Direct and indirect lighting

STEERING STATION

Headroom: 2,04m / 6'8"

- 3 Synchronised windscreen wipers
- Windscreen washer
- Demisting system
- Opening portside windows
- Starboard side door
- Helm console with 4 drinks holders and storage
- Engine instrumentation: Throttles, Fuel gauges, Rudder angle indicator, Trim tap indicators
- Control: Electric windlass, Navigation lights, Steering compass, Windscreen wipers, Fog horn
- Steering wheel with anthracite vinyl rim
- Anthracite vinyl Pilot seat with flip up bolster, fully adjustable leg
- U-shape dinette with integrated storage and a wood table convertible into a double berth with infill cushion
- Curtains
- Direct and indirect lighting
- 1 Reading light
- Red night light
- 2 Loud speakers
- Flybridge stairs with anthracite vinyl covered stainless steel handrail and non-slip wooden stairs
- Served unit with space for glassware crockery and illuminated wine rack

LOBBY STAIRWELL AREA

- Storage cupboards for 2 folding chairs
- PowerPoint for vacuum cleaner
- Linen store with space for washer dryer
- Handrails with anthracite vinyl

OWNER'S CABIN (AFT)

Headroom: 2,05 - 1,96m / 6'9" - 6'5"

- Double berth (1,95 x 1,55m / 6'5" x 5'1")
- Marine mattress with slatted base
- Storage under berth
- Direct and indirect lighting
- Full length mirror
- 2 Reading lights
- Vanity desk with drawers
- Stool
- Bedside tables with drawer
- Double door wardrobe with lighting
- Portside side door
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 50" TV with pre-wiring
- 220 V & USB sockets
- Emergency escape hatch

EN-SUITE HEAD

Headroom: 1,99m / 6'6"

- Corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water
- Shaver socket
- Hull window with 2 opening portholes
- Robe hooks, 2 bathroom tumblers
- Tecma electric toilet
- Shower cubicle with a PMMA door, handset and rainfall shower
- Direct and indirect lighting

VIP CABIN (FORWARD)

Headroom: 2,21m / 7'3"

- Double berth (2,00 x 1,50m / 6'7" x 4'11")
- Marine mattress with slatted base
- Double door wardrobe with lighting
- Direct and indirect lighting
- 2 Reading lights
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 32" TV with pre-wiring
- Overhead lockers and cupboard
- Storage space under bed
- 220 V & USB sockets
- Vanity deck with drawer and mirror
- Stool
- Access to day head

PORT GUEST CABIN

Headroom: 2,35m / 7'9"

- 2 Crossover berths (1,95 x 0,75m / 6'5" x 2'6" - 2,00 x 0,75m / 6'7" x 2'6")
- Marine mattress with slatted base
- Bedside shelf
- Wardrobe
- Storage under berth
- 3 Opening hull portholes with white Venetian blind
- Access to day head
- Direct and indirect lighting
- 2 Reading lights



DAY HEAD (PORT SIDE)

Headroom: 2,21m / 7'3"

Access door to VIP cabin

Access door to Port Guest Cabin

Day access door

- Corian work top with sink and mixer tap
- Mirror and storage space
- Shaver socket
- Hull window with 2 opening portholes
- Robe hooks, 2 bathroom tumblers
- Tecma electric toilet
- Shower cubicle with a PMMA door, handset
- Automatic drainage of shower water
- Direct and indirect lighting

ENGINE

- Shaft line propulsion
- Four-blade propellers
- Cummins QSB 6,7L engines 2 x 550HP (2 x 404Kw) (standard)
- Cummins QSB 6,7L engines 2 x 550HP (2 x 404Kw) + Joystick (Option)
- Sea water filters
- Engine room soundproofed with high density foam (80mm thick)
- Air intake for cooling the engine compartment on the port and starboard hull sides
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 1 720L / 2 x 454 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system:
 - 2 Rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs

ELECTRICITY

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 25 220V Sockets:
 - 5 in the saloon,
 - 3 in galley,
 - 4 in owner cabin,
 - 3 in the VIP cabin,
 - 2 in the port guest cabin,
 - 1 in the en-suite head,
 - 1 in the 2nd head,
 - 1 in the flybridge (waterproof),
 - 3 for TV (Saloon, Owner's cabin, VIP cabin)
- 12 USB sockets:
 - 3 in the saloon,
 - 2 at the pilot station,
 - 3 in owner cabin,
 - 2 in the VIP cabin,
 - 1 in the port guest cabin,
 - 1 on foredeck
- 3 double antenna sockets (TNT - SAT)
- 6 12V 140Ah service batteries
- 4 12V 100Ah engine start batteries
- 4 12V 100Ah bow thruster batteries
- 2 24 V battery chargers (40 Ah)
- LED outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Anchor light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 1 Automatic electric bilge pump
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 80 L / 21 US Gal water heater working off engine exchanger
- Water tank filler
- 2 Stainless steel water tanks (2 x 400L / 2 x 106 US Gal)
- Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

- Smoke detector



TRIM LEVEL & PACKS

TRIM LEVEL

| | ESSENTIAL | CONFORT | LOUNGE |
|---|--|--|--|
| <ul style="list-style-type: none"> • Generator (6,5 KVA) • Ship Control • 130 L / 34 US Gal Fridge, on flybridge • 2 000 W inverter • Air conditioning pre-arrangement • Deck wash | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ |
| <ul style="list-style-type: none"> • Hydraulic platform with transform steps & integrated dinghy supports (SWL: 400kg / 882 lbs) • Generator Upgrade (15,5 KVA) • Deck searchlight and aft docking lights | | <ul style="list-style-type: none"> ▪ ▪ ▪ | <ul style="list-style-type: none"> ▪ ▪ ▪ |
| <ul style="list-style-type: none"> • Underwater lights 4x transom RGBW LEDs • BBQ Texan Grill with stainless lid, on flybridge • Ice maker, on flybridge • 75 L/20 US Gal fridge drawer, in saloon • Dishwasher for 9 sets, in galley • Villeroy & Bosch 12 place crockery, cutlery and glassware | | | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ |

PACKS

ELECTRONIC PACK

- 1 16" Raymarine interior screen
- 2 12" Raymarine screens, on flybridge
- 3D Echo Raymarine Sounder
- Raymarine VHF (Wheelhouse, Flybridge)
- Raymarine AIS
- Raymarine aft camera

ELECTRONIC PACK - UPGRADED

- 2 16" Raymarine interior screen
- 3 16" Raymarine screens, on flybridge
- 3D Echo Raymarine Sounder
- Raymarine VHF (Wheelhouse, Flybridge)
- Raymarine AIS
- Raymarine aft camera
- Raymarine engine compartment camera

SILENT BOAT PACK

- T-Top Flybridge (no opening)
- 18 Solar panels (2 540 Wp: 10 x 150 Wp + 8 x 130 Wp)
- 6 Lithium batteries (300Ah - 24V)

PACK ENTERTAINMENT UPGRADE SALOON

- Motorised TV lift, pre-wiring up to 50"
- Fusion Apollo, Subwoofer, 8 Premium speakers
- Fusion Apollo unit on Flybridge + Subwoofer + 4 Premium speakers
- 2 Premium speakers at foredeck

PACK ENTERTAINMENT FORWARD (CABINE VIP)

- TV pre-wiring up to 32"
- Fusion Apollo Unit and 2 speakers

PACK ENTERTAINMENT AFT CABIN (OWNER CABIN)

- TV pre-wiring up to 50"
- Fusion Apollo Unit and 2 speakers

PACK ENTERTAINMENT PORT GEST CABIN

- Fusion Apollo Unit and 2 speakers



OPTIONS

AMBIANCE

STANDARD

- Teak doors with teak slats & infill panel
- Oak doors with oak slats & infill panel

| | STANDARD | OPTION |
|--|----------|----------------------------|
| INTERIOR UPHOLSTERY <ul style="list-style-type: none"> • Marlin brilliant white • Bolt Greige 06 • Crevin Noah 52 • Vertice River Rock • Vertice Bianco • Vertice Cava • Vertice Robusta | ■ | ■ ■ ■ ■ ■ ■ |
| EXTERIOR UPHOLSTERY <ul style="list-style-type: none"> • Marlin brilliant white • Dolce 51 | ■ | ■ |
| FLOORS <ul style="list-style-type: none"> • Teak Alpi + Rovere Aleve Laminated floor • Alpi oak + Brown Oak Laminated floor | ■ | ■ |
| HULL COLOR <ul style="list-style-type: none"> • White • Signal Grey hull (RAL 7004) | ■ | ■ |

U-SHAPE AFT COCKPIT SEAT AND CREW CABIN

U-shape aft cockpit seating with folding wood table (in place of standard L-shape seating)

Headroom: 1,30 - 1,63m / 4'3" - 5'4"

- 1 Single berth(0,65 x 2,00m / 2'2" x 6'7")
- Marine mattress
- Bedside locker with storage cupboard
- 2 Reading lights, Direct lighting
- 2 Opening hull portholes with curtains
- 220 V & USB sockets
- Tecma electric toilet
- Wood work top, sink, mixer tap and mirror



INTERIOR LAYOUT / ONBOARD COMFORT

- Washer dryer
- Electric cooking (induction hob + multifunction oven)
- Wine cellar 23 bottles, in saloon sideboard
- Upgrade folding table with handrail and drinks holders + electric leg in helm station + Pilot swivel seat
- Diesel heating (15Kw)
- Reverse cycle Air conditioning (50 kBTU)
- Climate control system (C5 Webasto 50 kBTU): Heating + Air conditioning
- Mosquito screens (Side doors + Aft cockpit door + Portholes)
- Safe in master cabin

EXTERIOR OPTIONS

- Davit for fast loading and paddleboard rack (SWL: 80kg / 176 lbs)
- 3 Electric capstan (bow, portside & starboard)
- Foredeck electric table + infill cushion in Marlin Brilliant White + cover
- Foredeck electric table + infill cushion in Dolce 51 + cover
- Tableware kit (6 people)
- T-Top for flybridge with soft top electric opening
- Complete mooring kit:
 - Delta anchor 40 kg / 88 lbs
 - Chain (12 mm / 1/2" diameter - Length 100m / 4")
 - 8 Hawsers (22 mm / 7/8" diameter - Length 20m / 65'7")
 - 8 Fenders (300 mm / 12" diameter - Height 880mm / 2'7")
 - 4 Inflatable fenders (360 mm / 12" diameter - Height 1 200mm / 3'11")
- Folding radar mast
- Foredeck black mesh sun awning
- Aft cockpit black mesh sun awning
- Aft flybridge black mesh sun awning (only in combination with T-Top)
- Flybridge black mesh roll down cabanas (only in combination with T-Top)
- Black mesh covers for helm area glass
- Set of cockpit and Flybridge white covers (cockpit L-shaped saloon version): Flybridge steering console, Saloon + Flybridge table, Flybridge wetbar, Forward sun deck, Saloon + aft cockpit table
- Set of cockpit and Flybridge white covers (U-shaped cockpit saloon crew cabin version): Flybridge steering console, Saloon + Flybridge table, Flybridge wetbar, Forward sun deck, Saloon + aft cockpit table
- Aft cockpit closing with windows (Graphite)
- Electro-hydraulic flybridge bimini with LED lighting (Graphite)
- Electric gangway (3,2m deployed length)
- Tender inflator
- Irodeck on forward sidedecks and foredeck
- Irodeck on flybridge

WATER SYSTEM

- Watermaker 95 l/h / 25 US Gal/hour (220V)
- Additional grey water tank 320L / 85 US Gal
- Tecma toilets with bidet function (in owner and day head only)

ELECTRICITY

- 230V/50Hz shore power socket – System Cablemaster (15m – 63Ah)
- 230V/50Hz air conditioning shore power socket – System Cablemaster (15m – 63Ah)

ENGINE

- Cummins Joystick with integrated progressive thrust bow and stern thruster
- Bow thruster (250 kgf / 551.16 lbf)
- Bow and stern thruster double station (2 x 250 kgf / 2 x 551.16 lbf)
- Cockpit 3rd station (only in combination with *1 Joystick system)
- Sleipner electric Vector Fin stabilizers
- Zipwake interceptor
- Cummins spares box
- Double diesel engine filters
- Automatic fire extinguisher in engine room

NAVIGATION ELECTRONICS

- Windvane
- Raymarine Radome
- Raymarine ClearCruise (augmented reality)