


General Equipment list - Europe









# GENERAL SPECIFICATIONS

|  | 40.40      | 44'1"        |
|--|------------|--------------|
| • L.O.A*:  | 13,43m     |              |
| Hull length:                                       | 12,52m     | 41'1"        |
| Overall width:                                     | 4,25m      | 13'11"       |
| Beam:  | 4,20m      | 13'9"        |
| <ul> <li>Light displacement:</li> </ul>            | 11 040kg   | 24 332 lbs   |
| Air draft (max):                                   | 5,81m      | 19'1"        |
| <ul> <li>Draught (including propeller):</li> </ul> | 1,15m      | 3'9"         |
| Fuel tank:   | 1 170L     | 309 US Gal   |
| <ul> <li>Water tank:</li> </ul>                    | 400L       | 106 US Gal   |
| Sewage tank:                                       | 120L       | 32 US Gal    |
| <ul> <li>Grey water tank (Option):</li> </ul>      | 320L       | 66 US Gal    |
| Engine power:                                      | 2 x 270 HP | 2 x 270 HP - |
|  |            | 2 x 201 KW   |
|  | 2 x 320 HP | 2 x 320 HP - |
|  |            | 2 x 238 KW   |

<sup>\*</sup> with aft swimming platform + Anchor in position

# ARCHITECTS / DESIGNERS \_

- Naval Architect: BENETEAU POWER
- · Exterior and interior design: Andreani Design

# EC CERTIFICATION \_\_\_\_\_

- Category B 8 people
- Category C 10 people
  Category D 10 people



CONNECT YOUR BOAT FREE YOUR MIND



General Equipment list - Europe

### STANDARD EQUIPMENT

CONSTRUCTION \_\_\_\_\_

### HULL

### Composition:

- Sandwich (Polyester resin contact Glass fiber Balsa core)
- White gel coat (RAL 9010)
- · Structural hull counter moulding in monolithic laminate (Polyester resin contact Glass fiber)

#### Profile:

· Semi-floating hull

#### **DECK**

### Composition:

- Sandwich (Polyester resin contact Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin Glass fiber)
- White gel coat (RAL 9010)
- · Diamond tip type non-slip covering

### DECK EQUIPMENT\_

· Side gate opening to starboard

### **MOORING LINES - MOORING**

- 1 000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Mooring cleats (L 300mm / 12")
- · Stainless steel gunwale guards
- 1 Compartment fitted with self-bailers and polyester covers

#### **SAFETY ON DECK**

- · Stainless steel pulpit, open and surrounding cockpit up to steps
- · Leather covered stainless steel handrails in the cockpit

### **COCKPIT**

- · Self-bailing cockpit
- · 1 Locker in cockpit bottom gas piston assisted and lockable
- · Gas cylinder locker integrated into the cockpit aft bench
- · Hot/cold water cockpit shower
- · Double starboard access door to the cockpit
- Swimming platform with rubbing strake (3,80 x 1,15mm / 12'6" x 3'9")
- · 1 Sliding bench seat on the platform
- 1 Ergonomic bathing ladder with hand holds in the bathing platform
- 1 Emergency ladder
- · 1 PMMA access door at the starboard side deck from the cockpit

### **FLYBRIDGE**

- · Flybridge self-draining
- · Retractable stainless steel ladder with double access ramp to the flybridge with solid wood treads
- Grey tinted windscreen in PMMA
- · Access by polyester hatch
- · Stainless steel pulpit surrounding aft of flybridge
- · Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- · Control panel including: Electric engine controls, Electric windlass control, Thruster and Flaps
- Rev counter
- · Rudder angle indicator
- · Space for navigation electronics
- · Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- · Double USB socket
- 1 Adjustable pilot seat and 2 places for co-pilot with convertible backrest
- Flybridge face-to-face saloon with a bench seat in an L shape, with integrated stowage and a solid wood table
- · GRP unit with sink, handrail and stowage
- · Loud speakers



General Equipment list - Europe

### INTERIOR

- · Choice of woodwork: Alpi teak (standard) or Alpi oak strip (optional)
- · Rovere Alévé type laminated floorboards
- · Interior upholstery Marlin Brilliant white PVC
- PVC pilot bench Marlin white & Polaris
- · Exterior upholstery Marlin Brilliant white PVC

# INTERIOR STEERING STATION

- · Grey helm console
- · Clear glass windscreen with aluminum frames, black lacquered
- · Anti-reflective coating
- 3 Electric windscreen wipers with synchronizing system
- · Windscreen washer
- · Defogger
- · Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Flap indicators
- Controls: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers, Fog horn & Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- · Dual pilot bench seat with hand rails
- · Removable floor step
- · Sliding side door with direct access to catwalk
- · Cup holder

### **SALOON**

Headroom: 1,90m / 6'33"

- · U-shaped saloon convertible to double berth
- · Dividing rail and curtains for berth
- Roman blinds
- Varnished wood saloon table
- Storage cupboards
- 1 Large stowage drawer
- Sliding aft 2 single disappearing door aft bay with black lacquered aluminum frame
- · Leather sheathed stainless steel handrail in cockpit deckhead
- Fusion RA210 player with 2 speakers in the wheelhouse and 2 speakers in the cockpit

### **GALLEY**

Headroom: 1,95m / 6'5"

U-shaped galley, facing the cockpit and the saloon - Includes:

- · Corian Nimbus Prima countertop
- 2 Stainless steel sinks with cold/hot water mixer taps under pressure
- Gas oven
- 3-burner gas hob with protective glass cover
- 215 L upright fridge with freezer function
- · Storage & Drawers
- · Bin with access from cockpit and galley
- Handrails

### **OWNER'S CABIN (FORWARD)**

Headroom: 1,95m / 6'5"

- Double berth (1,95 x 1,60m / 6'5" x 5'3")
- Storage under berth
- · Stowage on both sides of berth
- Mirror
- · 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- · 2 Hull windows with opening portholes and blackout blind
- Venetian blinds
- · Padded headboard

### **HEAD (OWNER'S CABIN)**

Headroom: 1,95m / 6'5"

Separate shower compartment with seat and porthole and solid wood finish

- Mirror
- · Top and bottom cupboard
- · Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · 1 Opening deck hatch with integrated blind
- 1 Hull porthole
- · Venetian blinds

### **VIP CABIN (PORT)**

Headroom: 1,96m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,52m / 6'5" x 5'8")
- Cupboards
- · Storage under berth
- · Cubby hole locker
- · Hull window with opening porthole and blackout blind
- 1 220 V socket
- · 2 USB sockets
- · Padded headboard

# LAZARETTE / THIRD CABIN (STARBOARD)

Headroom: 2,10m / 6'11"

- Modular stowage
- · Storage under berth
- · Space for washer dryer
- 1 220 V socket
- · 2 USB sockets

### STARBOARD HEADROOM (DAY TOILET)

Headroom: 1,92m / 6'4"

- Mirror
- · Top and bottom cupboard
- 1 Opening porthole
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · Mixer tap
- Shower
- Towel rail



General Equipment list - Europe

# **ENGINE**

- Yanmar 8LV 320 HP Diesel
- Shaft line propulsion
- · Four-blade propellers
- · Fuel filters
- · Sea water filters
- Engine room soundproofed with high density foam (40 mm / 1-½" thick)
- · Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Dual deck filler for fuel tank with interconnection
- 2 Aluminum fuel tanks (capacity = 2 x 585 L/2 x 155 US Gal) with interconnection and provision for attachment of FPS (Fuel Polishing System) system
- · Steering system:
- 2 Underhung rudders stainless steel
- Hydraulic steering
- Electric trim tabs

### PLUMBING \_\_\_\_\_

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- · Water tank filler
- 2 Roto moulded water tanks (2 x 200L / 2 x 53 US Gal)
- · Drainage outlet for black water holding tank
- 1 Sewage tank (120L / 32 US Gal)
- 1 Waste water tank (45L / 12 US Gal)

### **ELECTRICITY**

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 11 220V Sockets:
  - 2 in the saloon
  - 2 in galley
- 2 in owner cabin
- 1 in the VIP cabin
- 1 in the 3rd cabin
- 1 in the owner head
- 1 in the 2nd head
- 1 in the flybridge
- · 14 USB sockets:
  - 2 in the saloon
  - 2 at the pilot station
  - 4 in owner cabin
  - 2 in the VIP cabin
  - 2 in the 3rd cabin
  - 2 on flybridge
- 4 Engine batteries (12V 50Ah)
- 2 Service battery (12V 140Ah)
- 2 Battery chargers (25Ah)
- · Outside and inside lighting (Overhead lights, Reading lights)
- · LED indirect lighting
- Outside lighting (Navigation lights, Anchor light with stainless steel mountings)

# SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

### MISCELLANEOUS ITEMS \_

· Smoke detector



General Equipment list - Europe

### **TRIM LEVEL & PACKS**

TRIM LEVEL \_\_\_\_

|                                  | ESSENTIAL | CONFORT |
|----------------------------------|-----------|---------|
| Pump for deck washing            |           |         |
| 12V Cockpit socket               |           |         |
| Pre-wiring for heating           |           |         |
| Air conditioning pre-arrangement |           |         |
| 1 9" Raymarine interior screen   |           |         |
| 1 9" Raymarine exterior display  |           |         |
| Raymarine dual station VHF       |           |         |
| Cup holders                      |           | •       |
| Shore fresh water supply         |           |         |
| Double station deck searchlight  |           |         |
| 40L refrigerator, in flybridge   |           |         |
| Inverter (2 KVA)                 |           | _       |

### **PACKS**

### **ELECTRONIC PACK**

- · Ship control
- 19" Raymarine exterior display
- · Windvane anemometer
- Autopilot (2 Posts)

### **ELECTRONIC PACK UPGRADED**

- Ship control
- 1 12" Raymarine screen in wheelhouse
- 2 12" Raymarine screens on flybridge
- · Windvane anemometer
- Autopilot (2 Posts)

# AIR CONDITIONING PACK

- 7,5 kVA Generator (220V / 50Hz)
- Air conditioning (48 kBTU)

### **OPTIONS**

### **AMBIANCE**

- · Oak strip version & Brown oak laminated floors
- Louvre doors, oak strip or teak
- Ivory varnished, oak strip or teak louvre doors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Skye 53 carpet (Cabins + Passageway)
- · Infinity Zah Factor cream carpet (Cockpit)
- · Greige fabric interior upholstery
- Crevin Noah 52 fabric interior upholstery
- VERTICE River Rock interior upholstery
- VERTICE Bianco interior upholstery
- VERTICE Cava interior upholstery
- VERTICE Robusta interior upholstery
- Confort Dolce 51 external upholstery, with bolster seat on flybridge
- · Marlin Brilliant white PVC fore sun deck
- · Confort Dolce 51 forward sun deck
- Signal Grey hull (RAL 7004)



General Equipment list - Europe

### OTHER OPTIONS

### INTERIOR ACCOMMODATION

- Rotating pilot seat with handrails + Saloon table extension
- Grill & Microwave combined oven (as replacement for gas oven)
- · Washer dryer
- · Dishwasher for 6 sets
- 3 burner induction hob (replacing gas stove)
- Ice maker
- · Forced air heating
- · Single mattress in the 3rd cabin
- · Mosquito screens on side door, aft bay and portholes
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the saloon
- TV pre-wiring (Fusion Apollo 670 + Loud speakers) in the forward cabin
- Tableware kit 6 people

### **EXTERIOR OPTIONS**

- · Mooring kit:
- Delta anchor 20 kg/35 lbs
- Chain (10mm diameter length 32 m)
- Line (18mm diameter length 45 m)
- 4 Mooring ropes (18mm diameter length 15 m)
- 6 Fenders (250mm diameter length 0,7 m)
- · Stainless steel bow fitting
- · Fore canvas sunshade
- Set of flybridge covers (console + Bench seat + Table)
- Outside protections: (Oyster or Flanelle)
  - Aft cockpit closing
  - Cockpit wheelhouse cover
  - Flybridge bimini top
- · Black exterior curtains Sunworker
- · Manual fold-up polyester gangway
- · Electric flybridge grill
- Folding cockpit table + 2 Folding arm chairs
- · Flip-top flybridge table
- 3 Solar panels on flybridge pushpit
- Tender launching system on Plastimo davits (Tender: maximum length 2,6 m, maximum weight 150 kg)

#### **ELECTRICAL SYSTEM**

- 7,5 kVA Generator
- Deck searchlight
- · Underwater light

#### **WATER SYSTEM**

- · Watermaker (60 l/h / 16 US Gal/hour)
- Shore fresh water supply
- · Rigid sewage reserve

### **ENGINE**

- · Bow thruster
- stern thruster

### **NAVIGATION ELECTRONICS**

- · Raymarine AIS
- Radar
- · Rear camera